

???????

?????????????Blaumann

????????

[illegible][illegible]

(The following information was obtained from the records of the Department of Social Services, State of New York, Office of the Commissioner of Social Services, dated 10/1/87.)

~~~~~

~~~~~

?? ?????????? ??? design ?? ?????????? inOX. ????? ?? ?????? ?????????? ????? ?? ?? ?????????????????? ?? ?????????? ?? ?????? ??

?? ??? ????????:

- 1 ???????? ?? ?????? ?????: 24 x 14.5 cm 6.5L
 - 1 ???????? ?? ?????? ?????: 20 x 12.5 cm 3.9L
 - 1 ???????? ?? ?????? ?????: 18 x 11.5 cm 2.5L
 - 1 ???????? ?? ?????? ?????: 16 x 10.5 cm 2.1L
-
- 1 ???????? ?? ?????? ?????: 16 x 10.5 cm 2.1L
 - 1 ?????? ?? ?????? ?????: 24 x 7.5 cm

????????????????:

- ?????? ???????: ?????? ??????
- ?????? ?????? ?????? ??????
- ?????? ?????? ?? ?????? ??????
- 35% ?????? ?????? ??????
- ?????? ?? ?? ?? ??????
- ?????? Induction
- ?? ?????? ??????

?????? ????????

??? ?????? ?????????????? ??? ?? ?????? ??????

